Tennant T600

Record observations for service. This sheet does not diagnose or authorize repairs.

Use only information already available from a safely stopped machine. Do not run a faulty machine to complete this sheet. Follow the matched manual and workplace shutdown procedure; do not open protected parts, bypass interlocks or test live circuits.

1 Identify the machine and document

Full model / product or order number

Date / reporter (keep private)

Serial / asset reference (share privately)

Power / deck / panel / fitted options

Manual number / revision / region / page

2 Capture the existing symptom

T600 or T600e; control panel; full hexadecimal code including leading zeros; pickup versus solution flow.

Exact message / code / indicator / beep pattern

What happened, when it began, and which functions still worked

Visible pattern / operating context / recent changes

3 Separate observations from a suspected cause

What was actually observed (include what is unknown)

Any earlier action, who performed it, and the result (or write None)

4 Prepare the handoff

Question for qualified service / source correction needed

Scope reminder: The displayed hexadecimal examples use the T600 table. Do not apply them to the separate T600e panel table. Match deck, panel, battery, options and serial number.

Document references: 4024351, Rev. 07 (05-2026), printed p. 41; PDF p. 41; Same manual, printed p. 42; PDF p. 42.

Open model reference, source links and safety limits | Equipment Help

Model reference